

United States Patent and Trademark Office

UNITED STATES DEPARTMENT OF COMM United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

CONFIRMATION NO. FIRȘT NAMED INVENTOR ATTORNEY DOCKET NO. APPLICATION NO. FILING DATE Paul Lucian Regulinski 1483-16 3888 09/835,066 04/16/2001 EXAMINER 10/28/2003 7590 NIXON & VANDERHYE P.C. **EWART, JAMES D** 8th Floor ART UNIT PAPER NUMBER 1100 North Glebe Road Arlington, VA 22201 2683

DATE MAILED: 10/28/2003

Please find below and/or attached an Office communication concerning this application or proceeding.

			^	
Office Action Summary		Application No.	Applicant(s)	
		09/835,066	REGULINSKI ET AL.	
		Examiner	Art Unit	
		James D Ewart	2683	
The Period for Re	ne MAILING DATE of this communication appens	pears on the cover sheet w	ith the correspondence address	
A SHORT THE MAII - Extensions after SIX (6 - If the perio - If NO perio - Failure to r - Any reply r	TENED STATUTORY PERIOD FOR REPL LING DATE OF THIS COMMUNICATION. Is of time may be available under the provisions of 37 CFR 1.1 MONTHS from the mailing date of this communication. If or reply specified above is less than thirty (30) days, a reply of for reply specified above, the maximum statutory period eply within the set or extended period for reply will, by statute eceived by the Office later than three months after the mailinent term adjustment. See 37 CFR 1.704(b).	136(a). In no event, however, may a ly within the statutory minimum of thi will apply and will expire SIX (6) MOI e, cause the application to become Al	reply be timely filed ty (30) days will be considered timely. NTHS from the mailing date of this communication. BANDONED (35 U.S.C. § 133).	
1)□ R€	esponsive to communication(s) filed on	•		
2a)□ Th	nis action is FINAL . 2b)⊠ Tr	nis action is non-final.		
clo	closed in accordance with the practice under Ex parte Quayle, 1935 C.D. 11, 453 O.G. 213.			
Disposition (
•	Claim(s) <u>1-31</u> is/are pending in the application.			
	Of the above claim(s) is/are withdra	wn from consideration.		
·				
1 <u>1 1</u> 1	· · · · · · · · · · · · · · · · · · ·			
7)∐ Cla —	· · · · · · · · · · · · · · · · · · ·			
8)□ Cla Application I	im(s) are subject to restriction and/o Papers	or election requirement.		
9)⊠ The specification is objected to by the Examiner.				
10) $oxed{oxed}$ The drawing(s) filed on is/are: a) $oxed{oxed}$ accepted or b) $oxed{oxed}$ objected to by the Examiner.				
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).				
11) ☐ The proposed drawing correction filed on is: a) ☐ approved b) ☐ disapproved by the Examiner.				
If approved, corrected drawings are required in reply to this Office action.				
12) The oath or declaration is objected to by the Examiner.				
Priority unde	er 35 U.S.C. §§ 119 and 120			
13) Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).				
a)⊠ A	Ⅱ b)☐ Some * c)☐ None of:			
1.	Certified copies of the priority document	ts have been received.		
2.	Certified copies of the priority document	ts have been received in A	Application No	
_	 3. Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)). * See the attached detailed Office action for a list of the certified copies not received. 			
14) Acknowledgment is made of a claim for domestic priority under 35 U.S.C. § 119(e) (to a provisional application).				
a) The translation of the foreign language provisional application has been received. 15) Acknowledgment is made of a claim for domestic priority under 35 U.S.C. §§ 120 and/or 121.				
Attachment(s)		priority dildor 00 0.0.0.	. 33	
1) Notice of F 2) Notice of C	References Cited (PTO-892) Draftsperson's Patent Drawing Review (PTO-948) n Disclosure Statement(s) (PTO-1449) Paper No(s) <u>5</u>	5) Notice of	Summary (PTO-413) Paper No(s) Informal Patent Application (PTO-152)	
	· · · · · · · · · · · · · · · · · · ·			

Art Unit: 2683

Drawings

1. Figure has a 4 label but does not have a 4a label as indicated in the specification on page 9, line 6. Instead of putting a switch (X) symbol in each box, examiner requests that applicant put the nomenclature in each box i.e. MSC...

Specification

- 2. Two items are labeled 8c and 6c are shown in figure 1, but are not explained in the specification.
- 3. Page 12, line 11, has a 30 label, but the drawing shows 30a.
- 4. Page 23, line 19, reads "the between the satellite" should be "the interference between the satellite".

Claim Objections

5. Claim 19 is objected to because of the following informalities: reads: "to any claim 1".

Appropriate correction is required.

Claim Rejections - 35 USC § 112

6. Claims 17 and 18 recite the limitation "said level". There is insufficient antecedent basis for this limitation in the claim.

Art Unit: 2683

Claim Rejections - 35 USC § 102

The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless – (e) the invention was described in a patent granted on an application for patent by another filed in the United States before the invention thereof by the applicant for patent, or on an international application by another who has fulfilled the requirements of paragraphs (1), (2), and (4) of section 371(c) of this title before the invention thereof by the applicant for patent.

The changes made to 35 U.S.C. 102(e) by the American Inventors Protection Act of 1999 (AIPA) and the Intellectual Property and High Technology Technical Amendments Act of 2002 do not apply when the reference is a U.S. patent resulting directly or indirectly from an international application filed before November 29, 2000. Therefore, the prior art date of the reference is determined under 35 U.S.C. 102(e) prior to the amendment by the AIPA (pre-AIPA 35 U.S.C. 102(e)).

7. Claims 1-7, 9, 11-31 are rejected under 35 U.S.C. 102(e) as being anticipated by Karabinis et al. (U.S. Patent Publication No. 2002/0090942).

Referring to claim 1, Karabinis et al. teaches a communications system comprising a satellite mobile communications network which comprises a plurality of satellites (0040, 0044, and 0176) and a plurality of user terminals communicating on satellite uplink and downlink bands (0048); and a terrestrial mobile communications network which comprises a plurality of base stations (Figure 5 and 0163) and a plurality of user terminals communicating on terrestrial uplink and downlink bands (0048); characterized in that at least one of the terrestrial bands at least partly reuses at least one of the satellite bands (0036 and 0047).

Art Unit: 2683

Referring to claim 2, Karabinis et al. further teaches in which said base stations comprise second base stations reusing said satellite bands, said second base stations being provided only in areas where the path from said satellites to the user terminals will be shadowed (0037, Figure 5 and Figure 6a).

Referring to claim 3, Karabinis et al. further teaches in which said areas are enclosed spaces (0037, Figure 6A and 0135).

Referring to claim 4, Karabinis et al. further teaches in which said areas are urban areas (0037, 0163, 0135 and Figure 6a).

Referring to claim 5, Karabinis et al. further teaches in which said satellite mobile communications network communicates in frequency-divided fashion, using relatively narrow frequency channels within said bands (0044, 0163 and Figure 6b). FDMA/TDMA

Referring to claim 6, Karabinis et al. further teaches in which said terrestrial mobile communications network communicates in code-divided fashion, using relatively wide frequency channels within said bands (0044).

Referring to claim 7, Karabinis et al. further teaches in which said terrestrial uplink and downlink bands at least partly reuse said satellite downlink band (Figure 6b and 0212)

Art Unit: 2683

Referring to claim 9, Karabinis et al. further teaches in which said terrestrial uplink and downlink bands at least partly reuse said satellite uplink band (Figure 6b and 0212).

Referring to claim 11, Karabinis et al. further teaches in which said terrestrial uplink band reuses said satellite uplink band, and said terrestrial downlink band reuses said satellite downlink band (0050).

Referring to claim 12, Karabinis et al. further teaches in which said terrestrial downlink band reuses said satellite uplink band, and said terrestrial uplink band reuses said satellite downlink band (0051).

Referring to claim 13, Karabinis et al. further teaches a channel allocator allocating channels to be used by at least one of said networks, in dependence upon the frequencies allocated to the other (0039 and 0162).

Referring to claim 14, Karabinis et al. further teaches in which the channel allocator is arranged to control the frequencies allocated to both said networks (0039).

Referring to claim 15, Karabinis et al. further teaches in which the channel allocator is arranged to allocate a channel for use by a terminal to communicate with one of said networks initially from a set of frequencies not used by the other said network in the region of the terminal, where such a non-interfering frequency is available (0162).

Art Unit: 2683

Referring to claim 16, Karabinis et al. further teaches in which the channel allocator is arranged to allocate a channel for use by a terminal to communicate with one of said networks from a set of frequencies also used by the other said network in the region of the terminal, provided that less than a predetermined measure of interference is thereby reached (0064, 0065 and 0190).

Referring to claim 17, Karabinis et al. further teaches in which said level is determined by a number of said channels (0190).

Referring to claim 18, Karabinis et al. further teaches in which, when said level is reached, the channel allocator is arranged to use frequency planning and terminal and network location information to dynamically allocate shared frequency channels (0064, 0069, 0190, 0211 and Figure 6a).

Referring to claim 19, Karabinis et al. further teaches a dual mode user terminal for use in a system according to any claim 1 (0045, 0074, 0075).

Referring to claim 20, Karabinis et al. further teaches in which there is provided a common radio frequency circuit shared by a satellite system control circuit and a terrestrial system control circuit (0039).

Art Unit: 2683

Referring to claim 21, Karabinis et al. further teaches arranged to cease usage of frequencies shared between the satellite and terrestrial systems on detection of predetermined conditions associated with the proximity of said terrestrial mobile communications network, to prevent interference therewith (0211, 0277, and 0281).

Referring to claim 22, Karabinis et al. further teaches in which the predetermined conditions comprise detection of a control signal transmitted by a said satellite (0037, 0092, 0219, 0220 and 0232).

Referring to claim 23, Karabinis et al. further teaches in which the predetermined conditions comprise detection of a signal transmitted by a said base station (0078, 0223, and 0235).

Referring to claim 24, Karabinis et al. further teaches, in which the predetermined conditions comprise detection of a signal transmitted by a user terminal in the terrestrial uplink band (0078 and 0092).

Referring to claim 25, Karabinis et al. further teaches a satellite communications network for use in the system of claim 1 (0044, 0165, and 0176).

Art Unit: 2683

Referring to claim 26, Karabinis et al. further teaches comprising a control station arranged to reduce use of said satellite downlink and/or uplink in regions around one of slid base stations (0037, 0039, 0162 and Figure 6A).

Referring to claim 27, Karabinis et al. further teaches comprising a control device arranged to transmit a control signal to satellite user terminals in regions around one of said base stations to cause said user terminals to reduce use of said satellite uplink (0037, 0039, and 0162)

Referring to claim 28, Karabinis et al. further teaches a terrestrial communications network for use in the system of claim 1 (0160).

Referring to claim 29, Karabinis et al. further teaches comprising a control device arranged to transmit a control signal to satellite user terminals in regions around one of said base stations to cause said user terminals to reduce use of said satellite uplink (0162 and 0163).

Referring to claim 30, Karabinis et al. teaches a method of allocating communications spectrum to base stations of a terrestrial mobile communications network (0162), in which a frequency band interferes with channels of a satellite communications system (0030 and 0162, comprising allocating said frequency band preferentially to base stations in areas where shadowing will reduce the level of communications with the satellites of said satellite communications system (0032, 0037, 0163 and Figure 6a).

Art Unit: 2683

Referring to claim 31, Karabinis et al. teaches a method of reusing frequency bands between base stations of a terrestrial mobile communications network and a satellite communications network (Figure 6b and Figure 6c), comprising allocating said frequency bands using integrated resource management and other mitigation techniques (0039, 0065-0067) in a way to minimize interference between both the systems and thus making optimum usage of valuable frequency spectrum (0162).

Claim Rejections - 35 USC § 103

The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

- (a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.
- 8. Claims 8 and 10 are rejected under 35 USC 103(a) as being unpatentable over Karabinis et al. (U.S. Patent Publication No. 2002/0090942) and further in view of Karabinis et al. (U.S. Patent Publication No. 2002/0090942).

Referring to claim 8, Karabinis et al teaches the limitations of claim 8, but in this embodiment he does not teach wherein terrestrial bands do not reuse said satellite uplink band. In an alternative embodiment Karabinis et al teaches wherein terrestrial bands do not reuse said satellite uplink band (Figure 6d and 6e). Therefore at the time the invention was made, it would have been obvious to a person of ordinary skill in the art to combine the art of Karabinis et al

Art Unit: 2683

with the teaching of Karabinis et al to minimize interference between the satellite and terrestrial components (0030).

Referring to claim 10, Karabinis et al teaches the limitations of claim 10, but in this embodiment he does not teach wherein said terrestrial bands do not reuse said satellite downlink band. In an alternative embodiment Karabinis et al teaches wherein terrestrial bands do not reuse said satellite downlink band (Figure 6d and 6e). Therefore at the time the invention was made, it would have been obvious to a person of ordinary skill in the art to combine the art of Karabinis et al with the teaching of Karabinis et al wherein said terrestrial bands do not reuse said satellite downlink band to minimize interference between the satellite and terrestrial components (0030).

Conclusion

The prior art made of record and not relied upon is considered pertinent to applicant's disclosure.

De Baere et al U.S. Patent No. 6,370,126 discloses mobile satellite communications system with local and global network.

Freeburg U.S. Patent No. 5,327,572 discloses networked satellite and terrestrial cellular radiotelephone systems.

Leopold et al. U.S. Patent No. 5,452,471 discloses network of hierarchical communication systems and method therefor.

Martinez et al. U.S. Patent No. 5,584,046 discloses method and apparatus for spectrum sharing between satellite and terrestrial communication services using temporal and spatial synchronization.

Art Unit: 2683

Mallinckrodt U.S. Patent No. 5,073,900 discloses integrated cellular communications syustem.

Tawil et al U.S. Patent No. 6,208,834 discloses apparatus and method for facilitating terrestrial transmissions at frequencies also used for satellite transmissions to a common geographic area.

9. Any inquiry concerning this communication or earlier communications from the examiner should be directed to James D Ewart whose telephone number is (703) 305-4826. The examiner can normally be reached on M-F 7am - 4pm.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, William Trost can be reached on (703)308-5318. The fax phone numbers for the organization where this application or proceeding is assigned are (703)305-9508 for regular communications and (703)305-9508 for After Final communications.

Any inquiry of a general nature or relating to the status of this application or proceeding should be directed to the receptionist whose telephone number is (703)305-3900.

Ewart

October 21, 2003

WILLIAM TROST

SUPERVISORY PATENT EXAMINER TECHNOLOGY CENTER 2600